





SHENZHEN HONGTAI DOORS&WINDOWS CO.,LTD.

AUSTRALIA STANDARD ALUMINUM DOORS AND WINDOWS



FINIAL CERTIFICATION

Australia standard aluminum doors and windows



SHENZHEN HONGTAI DOORS&WINDOWS CO.LTD



AUSTRALIA STANDARD

AS1288,AS2047

AS&NZS2208

AS4666



ISO 9001

ISO 9001 CERTIFIED

FACTORY WITH 100

PRODUCTION WORKERS




20000m²

PROFESSIONAL PRODUCTION

WORKSHOP WITH SAFE

ENVIRONMENT



PRODUCTS

Australia standard aluminum doors and windows

Finial's aluminum doors and windows are divided into residential series and commercial series.

Residential series can be used in apartments, luxury villas, townhouse, etc.

Commercial series are widely used in commercial offices building, hotels, shopping malls, hospitals, schools, etc.

HT102 Series Commercial Sliding Doors/Windows




Open Type	Sliding door/windows
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	2.0MM
Structure Width	102MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+12A+5mm/6mm+12A+6mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	DORIC

HT86 Series Residential Sliding Doors




Open Type	Sliding door
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	1.8MM
Structure Width	86MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+9A+5mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	DORIC

HT102 Series Commercial Awning Windows



Open Type	Awning windows
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	2.0MM
Structure Width	102MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+12A+5mm/6mm+12A+6mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	DORIC

HT86 Series Residential Awning Windows



Open Type	Awning windows
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	1.6MM
Structure Width	86MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+9A+5mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	DORIC

HT102 Series Commercial Casement doors/Windows



Open Type	Casement door/windows
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	2.0MM
Structure Width	102MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+12A+5mm/6mm+12A+6mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	China KINLONG Brand

HT86 Series Residential Sliding Windows




Open Type	Sliding Windows
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	1.6MM
Structure Width	86MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+9A+5mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	SIEGENIA/DORIC

HB102 Thermal Break Awning Windows



Open Type	Awning windows
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	1.8MM
Structure Width	102MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+12A+5mm/6mm+12A+6mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	DORIC

32XAG Concealed Panoramic Door



39Pro Panoramic Door



HB102 Thermal Break Casement Doors



Open Type	Casement Doors
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	2.0MM
Structure Width	102MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+12A+5mm/6mm+12A+6mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	KINLONG

HT150 Narrow Sliding Door



HT75 FOLDING DOORS



HB102 Thermal Break Sliding Doors



Open Type	Sliding door
Certification	AS1288,AS2047,AS&NZS2208,AS4666
Extrusion Profile	6063-T5 Aluminum profile
Profile Thickness	2.0MM
Structure Width	102MM
Glass Standard	AS&NZS2208
Glass Option	Double tempered: 5mm+12A+5mm/6mm+12A+6mm/Other glass options
Profile Color	Matt black,Monument,Pure white,available in special customized color
Flyscreen/Gauze	Aluminum/Fiberglass/Stainless steel/Retractable fly screen
Hardware	DORIC



3D SHOWROOM

Office Address : 9th Floor, Building 2,Baoneng Science Park,Qingxiang Road,Longhua District,Shenzhen,China (Showroom)

Factory Address : No. 5,3th Shangxing Road, Boluo County, Huizhou City, Guangdong Province, China.

Tel : +86-755-8974 7775

Web : <https://www.hongtaiwindows.com>

E-Mail : hongtai@hongtaiwindows.com